

Forks & Brakes

FORK OIL FACTORY LINE = BLEND CHART =

Can be mixed four viscosities to obtain suitable viscosity



Product

- High performance Hydraulic Fluid for any telescopic fork.
- 100% synthetic oil.
- Four viscosities.
- Can be mixed to obtain suitable viscosities.

Very Light	Light	Light Medium	Medium	Viscosity @ 40°C
2.5W	5W	7.5W	10W	
%	%	%	%	mm ² /s
100	0	0	0	15.0
90	10	0	0	15.3
80	20	0	0	15.6
70	30	0	0	15.8
60	40	0	0	16.1
50	50	0	0	16.4
40	60	0	0	16.7
30	70	0	0	17.0
20	80	0	0	17.4
10	90	0	0	17.7
0	100	0	0	18.0
0	90	10	0	18.5
0	80	20	0	19.1
0	70	30	0	19.6
0	60	40	0	20.2
0	50	50	0	20.8
0	40	60	0	21.4
0	30	70	0	22.0
0	20	80	0	22.6
0	10	90	0	23.3
0	0	100	0	24.0
0	0	90	10	25.0
0	0	80	20	26.0
0	0	70	30	27.1
0	0	60	40	28.2
0	0	50	50	29.3
0	0	40	60	30.5
0	0	30	70	31.8
0	0	20	80	33.1
0	0	10	90	34.5
0	0	0	100	36.0

Maker	Name	Viscosity @ 40°C	Maker	Name	Viscosity @ 40°C
		mm ² /s			mm ² /s
MOTUL	Factory Line Very Light 2.5W	15.0	SHOWA	SS-7	16.6
	Factory Line Light 5W	18.0		SS-8	36.8
	Factory Line Light-Medium	24.0		SS-15	20.0
	Factory Line Medium 10W	36.0		SS-05	15.7
	Expert Medium 10W	35.9		G10S	37.2
	Expert Medium-Heavy 15W	57.1	G15S	55.2	
	Expert Heavy 20W	77.9	G30S	116.1	
HONDA	5	17.0	White Power	#5	22.0
	10	35.2		#7.5	33.4
YAMAHA	01	15.6		#10	48.1
	G5	17.7		#15	67.8
	G10	33.2	LIGHT	15.0	
SUZUKI	G15	47.3	MEDIUM	68.3	
	L01	15.5	FK01	15.4	
	W-15	16.8	FK10	33.6	
	G10	33.3	FK20	53.4	
KAWASAKI	G15	47.7	R&T43	19.0	
	KHL-15-10	15.3	No. 5	16.5	
	G5	17.9	No. 10	22.0	
	G10	33.9	No. 15	30.7	
	G15	49.5	OHLINS		

webmaster@motul.com.sg

Content, design and layout is Copyright ©2004
HIGH-TECH LUBRICANTS AP PTE.LTD.

All Rights Reserved. Reproduction in whole or in part in any form or medium without the expressed written permission of HIGH-TECH LUBRICANTS AP PTE.LTD. is strictly prohibited.